



4244IR

IMPACT CRUSHER

MAKING PREMIUM OUR STANDARD

Lippmann has a rich 100 year history of designing and delivering heavy duty crushing and screening solutions globally.

Lippmann combines the reliability and durability of its crushers with track technology to create the most robust and mobile products on the market.

We are committed to your success today and in the future by representing a higher standard of premium quality.

The Lippmann experience extends beyond well-crafted engineering to include benefits designed around your real needs and wants, respecting how you do business.

We go beyond traditional expectations.

FEATURES

Wear Plate in Hopper
Intergrated Hydraulic Folding Stockpiling Conveyors
External Belt Alignment Points

PREMIUMS


Wear Plate in Hopper & Chutes
Auxiliary Circuit
Remote Variable Speed & Start/Stop Kit
Rinser Ready
Working Lights
Tough-Flex Belt on Feeder
Martin Belt Scraper
Safety Beacons
Engine Safety Shutdown Systems
4 Year / 6000 Hour Warranty

OPTIONS

Single or Double Deck Live Head
Single Shaft Shredder
Radio Remote Control
Crusher Chute (15' Hopper only)

42441R

LIPPMANN IMPACT CRUSHERS



4244IR

TECHNICAL SPECIFICATIONS

CRUSHING CHAMBER

Impact Rotor	1050mm x 1125mm
Feed Opening	1149mm x 708mm
Crusher Drive	Direct Drive
Feed Size	600 x 500 x 500 lump
CSS Adjustment	Hydraulic
Speed Sensor	YES

HOPPER

Hopper Length	4280mm
Hopper Width	2180mm
Hopper Volume	6m ³
Hopper Material	8mm sides + 10mm liners

FEEDER

Feeder Width	1064mm
Feeder Belt Width	2460mm
Adjustable Speed	YES
Drive	Hydraulic

CONVEYOR

Stockpile Height	4142mm
Belt Width	1200mm
Angle Adjustable	YES
Quick Release	YES

ENGINE

Engine Power	261kW - 268kW
Fuel Tank Capacity	595 L
Hydraulic Tank Capacity	650 L

DIMENSIONS

Transport Length	15.668m
Transport Width	2.78m
Transport Height	3.40m

TOTAL WEIGHT	42,000 KG (EST.)
---------------------	-------------------------





www.lippmannglobal.com | sales@lippmannglobal.com

Lippmann Global reserves the right to make changes to the information and design of the machines in this brochure without reservation or notification to users. Lippmann Global assumes no liability resulting from errors or omissions in this document.

© Lippmann 2021.